



PLATE 2									
COMPT. DESIGNATION	NO.	DECK	FRAME	REMARKS	COMPT. DESIGNATION	NO.	DECK	FRAME	REMARKS
AIR COND MACHY RM NO. 1	3-2 1-0-E	2ND PLAT	23-19	CL	DECK GEAR LKR	01-119-2-A	01 LEVEL	110-1/2-120-1/4	P
AIR COND MACHY RM NO. 2	5-183-0-E	2ND PLAT	183-191	CL	DECK GEAR STOW.	1-175-1-Q	MAIN	175-179	S
AMPLIDYNE RM	5-143-1-E	HOLD	143-151	S	DECON STA - FW	01-67-1-L	01 LEVEL	66-3/4-69-1/2	S
AMPLIDYNE RM	5-143-2-E	HOLD	143-151	P	DECON STA - FW	1-138-0-L	MAIN	138-143	CL
ANCHOR WINDLASS RM	2-7-0-E	1ST PLAT	7-15	CL	DECON STA - FW	1-147-2-L	MAIN	146-3/4-150-1/2	P
ASROC LAUNCHER CONT STA	01-85-0-C	01 LEVEL	85-1/4-88-7/8	CL	DECON STA NO.2 - FW & SW	1-165-0-L	MAIN	165-1-4-175	CL
ASW CONT RM	3-19-1-C	2ND PLAT	39-51	S	DECON STA NO.1 - FW & SW	2-15-2-L	1ST PLAT	15-23	P
AIR NAV EQUIP RM	01-63-1-Q	01 LEVEL	63-67-1/3	S	DECON STA - FW	2-39-2-L	1ST PLAT	39-43-1/4	P
ASROC MAGATINE	01-75-3-M	01 LEVEL	75-88	S	DECON STA - FW	2-59-3-L	1ST PLAT	59-63	S
ASROC WORKSHOP	01-111-0-C	01 LEVEL	111-13-1/2	CL	DECON STA - FW	2-60-2-L	1ST PLAT	60-63	P
AIR COND MACHY RM	2-29-1-E	1ST PLAT	29-104-1/4	S	DECON STA - FW	2-99-0-Q	1ST PLAT	99-101	P
BAGGAGE RM - CPO	2-2-2-A	FLAT	2-5	P	EC M RM	03-70-0-Q	03 LEVEL	70-79	CL
BARBER SHOP	1-157-1-Q	MAIN	157-160-1/2	S	ELECTRONICS SHOP	01-127-2-Q	01 LEVEL	127-132-1/2	P
BATH - CAPTAIN	01-51-1-L	01 LEVEL	51-54-3/4	S	EMERGENCY GEN RM NO. 2	2-195-0-F	1ST PLAT	195-203	CL
BATH - UNIT COMMANDER	01-56-2-L	01 LEVEL	55-1/2-58-1/2	P	EMERGENCY GEN RM NO. 1	3-15-0-E	2ND PLAT	15-23	CL
BATTERY PLOT - DBL PURPOSE	2-99-2-C	1ST PLAT	99-107	P	ENGINE RM NO. 1	5-83-0-E	2ND PLAT	83-99	CL
BAT. DRESS STA - FWD	1-4-0-L	MAIN	4-51	CL	ENGINE RM NO. 2	5-127-0-E	2ND PLAT	127-143	CL
BAT. DRESS STA - AFT	2-163-0-L	1ST PLAT	163-170	CL	ESCAPE TRUNK	5-67-2-T	2ND PLAT	67-68-5/6	P
BEVERAGE DISP AREA	1-6-0-Q	MAIN	65-1/4-87-5/8	CL	ESCAPE TRUNK	5-97-2-T	2ND PLAT	96-2/3-98-1/4	P
BOAT GEAR LKR	01-119-2-A	01 LEVEL	119-1/2-20-1/4	P	ESCAPE TRUNK	5-112-2-T	2ND PLAT	112-113-5/6	P
CABIN - CAPTAIN SEA	02-59-1-L	02 LEVEL	59-63	S	ESCAPE TRUNK	5-142-1-T	2ND PLAT	141-1/2-143	S
CANVAS SHOP & STRM	2-19-1-Q	1ST PLAT	199-203	S	FAN ENCLOSURE	2-99-0-Q	1ST PLAT	99-101	P
COMTAC VAULT	1-146-0-Q	MAIN	146-148-1/2	CL	FAN ENCLOSURE	2-99-3-Q	1ST PLAT	99-100-7/8	S
CHAIN LOCKER	4-7-0-Q	3RD PLAT	7-11	CL	FAN ENCLOSURE	2-39-1-Q	1ST PLAT	39-43	S
CHART ROOM	02-59-2-C	02 LEVEL	59-63	P	FAN ENCLOSURE	2-46-0-Q	1ST PLAT	45-2/3-51	CL
COMBAT INFO CTR	02-63-0-C	02 LEVEL	63-19	CL	FAN ENCLOSURE	2-151-0-Q	1ST PLAT	151-155	CL
CREW SHELTER	03-59-0-C	03 LEVEL	59-63	CL	FAN ENCLOSURE	2-23-0-Q	1ST PLAT	23-28-1/2	CL
COMMUNICATION CENTER	01-67-0-C	01 LEVEL	67-75	CL	FAN ENCLOSURE	2-29-2-Q	1ST PLAT	28-1/2-35-1/2	P
DAMAGE CONTROL CENTRAL	2-99-5-C	1ST PLAT	99-107	S	FAN ROOM	02-121-0-Q	02 LEVEL	120-1/4-123	CL
					FAN ROOM	02-121-2-Q	02 LEVEL	120-1/4-124	P
					FAN ROOM	01-68-1-Q	01 LEVEL	67-74-1/2	S
					FAN ROOM	01-79-2-Q	01 LEVEL	79-88	P
					FAN ROOM	01-130-0-Q	01 LEVEL	120-1/4-132-1/2	CL
					FAN ROOM	01-130-1-Q	01 LEVEL	130-132-1/2	S

CONFIDENTIAL

PLATE 3									
COMPT. DESIGNATION	NO.	DECK	FRAME	REMARKS	COMPT. DESIGNATION	NO.	DECK	FRAME	REMARKS
STRM - CHEM W & DEF EQUIP	5-195-1-A	2ND PLAT	195-201	S	TOOL ISSUE RM - ELECTRIC	2-195-3-Q	1ST PLAT	195-199	S
STRM - ELECTRICAL	5-195-2-A	2ND PLAT	195-203	P	TRUNK	3-14-2-T	2ND PLAT	13-1/4-15	P
STRM - CHILL 33° & 0° NO 1	3-27-1-L	2ND PLAT	27-32	S	TRUNK	3-23-1-T	2ND PLAT	23-25	S
STRM - CHILL 33° & 0° NO 2	3-31-1-L	2ND PLAT	31-36-1/2	S	5" / 34 CAL POWDER MAG	3-163-0-M	2ND PLAT	163-172	CL
STRM - CLOTH & SMALL ST	2-191-2-A	1ST PLAT	190-1/3-193-1/4	P	5" / 34 CAL POWDER MAG	4-37-0-M	3RD PLAT	36-1/2-43	CL
STRM - DRY PROVISION	2-203-2-A	1ST PLAT	203-210	P					
STRM - DRY PROVISION	4-43-2-A	3RD PLAT	43-47	CL					
STRM - DRY PROVISION	5-191-0-A	2ND PLAT	191-195	CL					
STRM - FLMB LIQUIDS	5-11-0-K	3RD PLAT	11-15	CL	UPTAKE SPACE NO. 1	1-65-0-Q	MAIN	64-3/4-81-1/4	CL
STRM - FREEZE 0°	3-35-0-A	2ND PLAT	34-3/4-39	CL	UPTAKE SPACE NO. 2	1-109-0-Q	MAIN	108-3/4-125-1/4	CL
STRM - LOG FORCE EQUIP.	2-3-2-A	1ST PLAT	23-27	S					
STRM - MASTER AT ARMS	2-6-2-A	1ST PLAT	5-1/8-7	P					
STRM - MEDICAL NO. 1	2-191-2-A	1ST PLAT	7-11	P					
STRM - S.D.	2-191-4-A	1ST PLAT	191-195	P	VESTIBULE	3-32-1-A	2ND PLAT	32-34-3/4	S
STRM - SPECIAL CLOTHING	5-183-1-A	2ND PLAT	183-193	S	VOID	01-75-0-V	01 LEVEL	75-75	CL
STRM - SHIP STORE	5-183-2-A	2ND PLAT	183-191	P	VOID	2-178-0-Q	1ST PLAT	177-3/8-187	CL
STRM - S.D.	2-11-2-A	1ST PLAT	11-15	P	VOID	5-180-Q	HOLD	5-180-Q	CL
STRM - S.D.	2-203-1-A	1ST PLAT	203-210	S	VOID	5-7-0-V	HOLD	7-15	CL
STRM - S.D.	5-179-2-A	2ND PLAT	179-183	P	VOID	2-E-0-V	1ST PLAT	E-A	CL
STRM - S.D. (ELECTRICAL)	5-175-4-A	2ND PLAT	175-179	P	WEAPONS WORKSHOP	01-133-3-Q	01 LEVEL	192-2/3-135/2	S
STRM - S.D.	5-175-2-A	1ST PLAT	11-15	S	WEAPONS OFFICE	01-133-2-Q	01 LEVEL	132-3/4-135/2	P
STRM - S.D. (ELECTRONICS)	5-163-2-A	2ND PLAT	163-171	P					
STRM - ENGINEERING	2-121-2-A	1ST PLAT	121-127	P					
STRM - S.D. (REP PARTS)	3-7-0-A	2ND PLAT	7-15	CL					
STRM - S.D. (REP PARTS)	5-203-0-E	2ND PLAT	203-210-1/2	CL					
STRM - S.D. (REP PARTS)	5-171-2-A	2ND PLAT	171-175	P	WR, WC & SH - OFFICER	01-67-1-L	01 LEVEL	68-3/4-69-1/2	S
STRM - NAVIGATOR'S	02-61-0-A	02 LEVEL	60-2-63	CL	WR, WC & SH - OFFICER	1-55-2-L	MAIN	68-3/4-70-1/4	P
STRM - WARDROOM	2-5-1-A	1ST PLAT	5-7	S	WR, WC & SH - CPO	1-147-2-L	MAIN	146-3/4-150-1/2	P
STRM - S.D.	5-191-4-A	2ND PLAT	191-195	P	WR & SH - CREW	1-165-0-L	MAIN	164-3/4-175	CL
STRM - S.D. (ELECTRONICS)	5-163-2-A	2ND PLAT	163-171	P	WR, WC & SH - CREW	1-171-0-L	MAIN	165-1/8-175	CL
STRM - S.D.	2-121-2-A	1ST PLAT	121-127	P	WR, WC & SH - CREW	1-184-0-L	MAIN	185-2/8-187	P
STRM - S.D.	2-186-2-A	1ST PLAT	185-1/2-187	P	WR, WC & SH - CREW	2-19-0-A	1ST PLAT	19-43	P
STRM - WEAPONS	3-151-0-A	2ND PLAT	151-154	CL	WR, WC & SH - CREW	2-19-3-L	1ST PLAT	59-63	P
STRM - S.D.	5-161-3-A	2ND PLAT	167-183	S	WR, WC & SH - CPO	2-60-2-L	1ST PLAT	60-63	P
STRM - TARTAR LAUNCHER CONT STA	1-165-0-C	MAIN							

GENERAL DIMENSIONS

LENGTH, BETWEEN PERPENDICULARS	420'-0"
LENGTH, OVERALL	437'-0"
BREADTH, EXTREME	47'-1"
DRAFT ABOVE BOTTOM OF KEEL AMIDSHIPS DESIGNERS	15'-1"
DRAFT ABOVE LOWEST PROJECTION BELOW KEEL	21'-10 1/2"

HEIGHTS ABOVE D.W.L.

(D.W.L. 15'-0" ABOVE MOLDED BASE LINE)

FOREMAST (WITH URD-4 ANT UPRIGHT)	136'-5"
C.L. OF MASTHEAD LIGHT	90'-5"
C.L. OF RANGE LIGHT	106'-3"
C.L. OF SIDE LIGHT (P&S)	29'-10"
C.L. OF FORWARD ANCHOR LIGHT	50'-3"
C.L. OF AFT ANCHOR LIGHT	27'-7"
C.L. OF WHITE STERN LIGHT	16'-3"
C.L. OF BLUE STERN	14'-6"
C.L. OF WAKE LIGHT	13'-9"
C.L. OF TASK LIGHTS { UPPER (RED)	131'-9"
MIDDLE (WHITE)	125'-3"
LOWER (RED)	119'-3"
C.L. OF ROTATING ANTENNA NO. 5-4	98'-9"
C.L. OF ROTATING ANTENNA NO. 5-5	86'-9"
C.L. OF ROTATING ANTENNA NO. 6-2	67'-0"

HEIGHTS ABOVE D.W.L.

04 LEVEL AT CL OF FR. 59	45'-6 3/4"
03 LEVEL AT CL OF FR. 51	38'-0 3/4"
02 LEVEL AT CL OF FR. 51 (PILOT HOUSE)	30'-7 3/8"
01 LEVEL AT CL OF FR. 44	24'-6 3/8"
SECONDARY CONNING STA 03 LEVEL AT FR 125	35'-6"

UNDERSIDE OF PLATFORM ON FOREMAST	90'-0"
UNDERSIDE OF PLATFORM ON FOREMAST	81'-0"
UNDERSIDE OF PLATFORM ON FOREMAST	72'-0"
UNDERSIDE OF PLATFORM ON FOREMAST	59'-6"
UNDERSIDE OF PLATFORM ON AFT STACK	55'-6"

GUN DIR PLATFORM AT FR 61 (04 LEVEL)	45'-6 3/4"
--------------------------------------	------------

SMALL BOATS

NO.	NAME	EACH	TOTAL
24	CO2 LIFEBOATS	15	360
1	26'-0" PERSONNEL BOAT	15	15
1	26'-0" MOTOR WHALE BOAT	22	22

TOTAL 397

BERTHING ACCOMMODATIONS

BERTHS

OFFICERS	28
CPO	21
CREW	319

LOCKERS

TYPE A	21
TYPE L (PEACOAT)	7
TYPE K (PEACOAT)	9
CPO (BLUE UNIFORM)	4


CAPACITY OF BOOMS AND CRANES

BOAT BOOM	5250 LB
BATHYTHERMOGRAPH BOOM	500 LB
ASROC LOADER CRANE	1200 LB



CONFIDENTIAL


14


CONFIDENTIAL




~~CONFIDENTIAL~~










CONFIDENTIAL


1000



CONFIDENTIAL

10

CONFIDENTIAL



1000

